



REEL KLEEN RK 35

INSTALLATION MANUAL

PLEASE LEAVE WITH THE OPERATOR



REEL KLEEN RK35

Imperial Machine Company Limited
Unit 1, Abbey Road
Wrexham Industrial Estate
Wrexham LL13 9RF
Tel: +44 (0)1978 661155
Fax: +44 (0)1978 729990
Service Fax: +44 (0)1978 667766
Spares Fax: +44 (0)1978 667759
E-mail: info@imco.co.uk
Website: www.imco.co.uk

A34/011 R2

ECN 7052 February 2007

EC DECLARATION OF CONFORMITY

(Guarantee of Production Quality)

We, Imperial Machine Company Limited of:
Unit 1, Abbey Road, Wrexham Industrial Estate, Wrexham, LL13 9RF
Declare under our sole responsibility that the machine

**REEL KLEEN RK35**

As described in the attached technical documentation is in conformity with the Machine Safety Directive 89/392/EEC as amended by 91/368/EEC and 93/44/EEC and is manufactured under a quality system BS EN ISO 9001. It is also in conformity with the protection requirements of the Electro Magnetic Compatibility Directive 89/336/EEC and is manufactured in accordance with harmonised standards EN 55014-1 Emission and EN 55014-2 Immunity (plus product specific standards).

It also satisfies the essential requirements of the Low Voltage Directive 73/23/EEC amended by 93/68/EEC and is manufactured in accordance with standards BS EN 60335-1 and BS EN 60335-2-64.

Approved by S Witt, Product Support Manager

A handwritten signature in blue ink, appearing to read 'S Witt', is written over a horizontal line.

Signed at Wrexham, Date

February 2007

INDEX

GUARANTEE 1

INSTALLATION..... 1

COMMISSIONING 1

MAINTENANCE 1

ORDERING SPARE PARTS..... 2

MATERIAL CONTENT 2

EXPLODED VIEW 3

GUARANTEE

This equipment is guaranteed by IMC for 1 year from the date of its purchase from IMC, or from one of its stockists, dealers or distributors. The guarantee is limited to the replacement of faulty parts or products and excludes any consequential loss or expense incurred by purchasers. Defects that arise from faulty installation, inadequate maintenance, incorrect use or fair wear and tear are not covered by the guarantee.

The guarantee applies in this form to installations within the United Kingdom.

INSTALLATION

For the Installer:

These Instructions contain important information designed to help the user obtain the maximum benefit from the investment in an IMC Reel Kleen.

Please read them carefully before starting work, and consult with the supplier in the event of any queries.

Be sure to leave this Instruction Manual with the user after the installation of the unit is complete.

Water Supply:

PLEASE NOTE: These machines are designed to be fitted to a mains water supply in accordance to local water board regulations. This applies to UK installations; overseas customers should install the machine in accordance with local regulations.

IF IN DOUBT, CHECK WITH YOUR LOCAL AUTHORITY

COMMISSIONING

These instructions are designed to aid you in the installation of the REEL KLEEN.

1. All REEL KLEEN's come with Hose, they are set at the proper tension and are ready for wall mounting.
2. The REEL KLEEN can also be mounted from the floor or ceiling.
3. When floor or ceiling mounted, the hose guide should be adjusted to allow the hose to be pulled from the REEL KLEEN in a straight line for maximum hose life.
4. A 3/4" BSP flexible connection is supplied for connection to the water inlet.
5. Connect water supply line and tighten with a Spanner.
6. Turn on water supply and check for leaks.

MAINTENANCE

Other than regular cleaning the REEL KLEEN's require no maintenance by the end user.

ORDERING SPARE PARTS

In the event that spare parts or accessories need to be ordered, please always quote the model of the machine.

For installations outside the UK please contact your supplier.

For information on IMC spares and service support (if applicable), please call IMC on +44 (0)1978 661155. Alternatively, contact us via email or fax:

IMC Service Desk

Fax: +44 (0)1978 667766

E-mail: service@imco.co.uk

IMC Spares Desk

Fax: +44 (0)1978 667759

E-mail: spares@imco.co.uk

MATERIAL CONTENT

The REEL KLEEN contain the following materials

Metals Stainless steel, Mild steel (inc plated).

Plastics and rubber Neoprene rubber.

